

Ultrabind Glide

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Ultrabind Glide

Article No.

ULG001

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product type

Solvent.

Relevant identified uses

Cleaning agent. Lubricant.

1.3. Details of the supplier of the safety data sheet

SDS created by

B. Fotheringham

Manufacturer

Resincoat Ltd

Street address

Unit 21a

Kinsley Industrial Estate

Hoyle Mill Road

WF95JB Kinsley

United Kingdom

Telephone

03300570695

Email

info@resincoat.co.uk

Web site

<https://www.resincoat.co.uk/>

1.4. Emergency telephone number

Poison center/Additional emergency number

+44 20 7188 7188 - Guy's & St Thomas' Poisons Unit

0344 892 0111 - National Poisons Information Service (Newcastle Centre)

Other

Phone, general enquiries

03300570695

Ultrabind Glide

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous according to Regulation (EC) No 1272/2008.

2.2. Label elements

Precautionary statements

P270 Do not eat, drink or smoke when using this product.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

No data available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Substance additional information

For the complete text of H- / EUH-statements mentioned in this section, see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Control respiration of unconscious persons. Keep the respiration under observation. If not breathing give artificial respiration. Unconscious persons must be locked on their side, head low and kept warm. Call an ambulance. Contact physician if irritation persists.

Skin contact

Promptly wash contaminated skin with soap or mild detergent and water. Promptly remove clothing if soaked through and wash as above. Get medical attention if any discomfort continues.

Eye contact

Immediately flush with plenty of water for at least 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues.

Ultrabind Glide

Ingestion

Immediately rinse mouth and drink plenty of water (200-300 ml). Provide fresh air, warmth and rest, preferably in a comfortable upright sitting position. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Immediately call a POISON CENTER/doctor.

4.2. Most important symptoms and effects, both acute and delayed

No data available

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures**5.1. Extinguishing media**Suitable extinguishing media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

No data available

5.3. Advice for firefighters

No data available

OtherMeasures in case of fire

Cool containers exposed to heat with water spray and remove container, if no risk is involved. Closed containers can burst violently when heated, due to excess pressure build-up.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

In case of inadequate ventilation, use respiratory protection.

6.2. Environmental precautions

Prevent spillage entering a watercourse or sewer, contaminating soil or vegetation. If this is not possible notify police and appropriate authorities immediately.

6.3. Methods and material for containment and cleaning up

Spillage should not be discharged into the drain but removed with absorbing material.

Ultrabind Glide

6.4. Reference to other sections

No data available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Preventive handling precautions

Use only outdoors or in a well-ventilated area. Provide eyewash station.

General hygiene

Avoid eating, drinking and smoking when using the product. Wash hands before breaks and before smoking, eating or drinking.

7.2. Conditions for safe storage, including any incompatibilities

No data available

7.3. Specific end use(s)

PC35 - Washing and cleaning products (including solvent based products). PC24 - Lubricants, greases, release products.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation and minimise the risk of inhalation of vapours and oil mist. Provide adequate general and local exhaust ventilation.

Eye / face protection

Wear approved chemical safety goggles where eye exposure is reasonably probable.

Hand protection

Protective gloves should be used if there is a risk of direct contact or splash. The most suitable glove must be chosen in consultation with the gloves supplier, who can inform about the breakthrough time of the glove material.

Other skin protection

Use protective clothing, which covers arms and legs.

Ultrabind Glide

Respiratory protection

In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment with combination filter (type A2/P3).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state

Liquid

Colour

Colourless to pale yellow.

Odour

Mild.

Melting point / freezing point

No data available

Boiling point or initial boiling point and boiling range

≥ 195 °C

Flammability

No data available

Lower and upper explosion limit

No data available

Flash point

≥ 100 °C

Auto-ignition temperature

No data available

Decomposition temperature

No data available

pH

No data available

Kinematic viscosity

No data available

Solubility

The product is partly miscible with water and may spread in the aquatic environment.

Ultrabind Glide

Partition coefficient n-octanol/water

No data available

Vapour pressure

No data available

Density and/or relative density

1.09 g/cm³

Relative vapour density

0.008

VOC %

0 %

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.2. Chemical stability

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Strong oxidising substances, strong acids and strong bases.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

Ultrabind Glide

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Persistent exposure may cause irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Genotoxicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Based on available data, the classification criteria are not met.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

No data available

SECTION 12: Ecological information

12.1. Toxicity

Acute fish toxicity

LC50 96 hours, fish, mg/l 18-24

Acute crustacean toxicity

EC50 48 hours, Daphnia, mg/l 112-150

12.2. Persistence and degradability

No data available

Ultrabind Glide

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Endocrine disrupting properties

No data available

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal considerations

Smaller quantities can be disposed of with household waste.

Packaging

Packaging may be reused or recycled after cleaning.

SECTION 14: Transport information

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

Ultrabind Glide

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Other

Additional information

The information provided herein was believed by Resincoat Ltd. to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by Resincoat are subject to Resincoat's terms and conditions of sale. RESINCOAT MAKES NO WARRANTY, EXPRESSED OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY RESINCOAT, except that the product shall conform to Resincoat's given specifications.